

DO NOT PRUNE LEADER. PRUNE OR CUT ONLY DEAD OR UNHEALTHY BRANCHES

PROVIDE STAKING IF SPECIFIED. IF STAKING IS PROVIDED, PROTECT TREE WITH BROAD STRAP OR FLEXIBLE TUBING. ALLOW FLEXIBILITY IN STRAPS TO DEVELOP TRUNK TAPER. PROVIDE TURN BUCKLE AND WARNING FLAGS. REMOVE ALL STAKING AND ACCESSORIES WITHIN ONE YEAR FROM PLANTING.

THE ROOT FLARE SHALL BE PLANTED AT GRADE, NO HIGHER THAN 2" ABOVE GRADE, AND NEVER BELOW GRADE. REMOVE EXCESS SOIL TO EXPOSE THE ROOT FLARE AT GRADE. TREE SHALL BE SET PLUMB

MULCH DEPTH 3". KEEP MULCH 3" FROM ROOT FLARE AND DO NOT CONTACT STEM

HIGH QUALITY SOIL MIX AS SPECIFIED

- WATER SAUCER, IF SPECIFIED, SHALL RISE NO MORE THAN 3" ABOVE GRADE.

- COMPLETELY REMOVE TOP HALF OF BURLAP, LACING STRAPS, NAILS AND WIRE BASKET AND DISCARD FROM HOLE. ALL SYNTHETIC BURLAP MUST BE REMOVED FROM SIDES OF ROOT BALL.

ROOT BALL SHALL BE PLACED DIRECTLY ON COMPACTED SUBGRADE. HANDLE TREE BY THE ROOT BALL ONLY.

CONTACT INFORMATION: CITY OF RALEIGH PARKS, RECREATION AND CULTURAL RESOURCES DEPARTMENT URBAN FORESTER: TREES@RALEIGHNC.GOV WWW.RALEIGHNC.GOV

NOTES:

- 1. CONTRACTOR IS RESPONSIBLE FOR ADEQUATE DRAINAGE OF ALL PLANTING PITS. (POSITIVE DRAINAGE AWAY FROM PIT)
- 2. ADHERE TO STANDARDS IN THE CITY TREE MANUAL.
- 3. STREET TREES MUST BE 3" CALIPER AT INSTALLATION WITH A 5' MINIMUM FIRST BRANCH HEIGHT.
- 4. PLANTING SEASON OCTOBER APRIL.
- 5. A TREE IMPACT PERMIT IS REQUIRED.
- 6. ELECTRICAL OUTLETS AND OTHER UTILITIES ARE PROHIBITED IN THE PLANTING AREA IMMEDIATELY SURROUNDING THE TREE.

CITY OF RALEIGH STANDARD DETAIL

REVISIONS	DATE: 8/1/18	NOT TO SCALE
	TREE PLANTING DETAIL	
	TPP.	03
	IPF	-03